



TESTING

DoD 5000/Mil-Std 498

Mr. Clair Overley Jr.
DSDC-BQ



OVERVIEW

- Purpose Of Testing
- DLA Vs Mil Std 498 Test Terminology
- DoD 5000 Overview
- Mil Std 498 Overview
- DLA Software Maintenance Process
- Test Readiness Review




PURPOSE OF TESTING

- Risk Reduction
- Ensure Quality Product is Delivered
- Ensure Requirements are Met
- Support Decision Making
- Readiness for Use




Requirements Generation Traceability through Testing





DLA Vs MIL-STD-498 Test Terminology





HEADQUARTERS OVERSIGHT






HEADQUARTERS OVERSIGHT

- DoD 5000 applies to:
 - ◆ MAISRC - Major Automated Information System Review Council (Assistant Secretary of Defense)
 - ◆ DAISRC - DLA Automated Information System Review Council (DLA HQ)
- Includes Formal Reviews and Milestone Approval Decisions



Acquisition Process Overview (DoD 5000)





DOD 5000 OVERVIEW

- Test Planning Starts at Phase 0
- Early Testing to help identify Risks
- Optimize Testing to reduce Risk
- Emphasizes Integrated Product Teams(IPT)
- DoD 5000 establishes a tailorable “general model” if PM provides adequate information for decision making



DOD 5000 OVERVIEW

Continued

- Test & Evaluation Master Plan (TEMP) focus:
 - ◆ Overall Program Testing Structure
 - ◆ Major Elements
 - ◆ Test and Evaluation Objectives
 - ◆ Timely Availability of Test Resources
- Tailorable to recognize commercial testing and experience for non-developmental items



DOD 5000 OVERVIEW


Continued

■ Test & Evaluation Working Group (TEWG) focus:

- ◆ Prepare TEMP as a team
- ◆ Coordinate with DLA HQ and OSD (Members of TEWG)
- ◆ Test and Evaluation Issues resolved in TEWG
- ◆ Elevate issues as required



Developmental and Operational Testing





DOD 5000 OVERVIEW

Continued

- Developmental Testing focus:
 - ◆ Certify ready for Operational Testing
 - ◆ Software Maturity Achieved
 - ◆ Performance Criteria
 - ◆ Risk Management
 - ◆ Traceability to Requirements
 - ◆ Mission Impact Analysis for unmet metrics



DOD 5000 OVERVIEW

Continued

- Operational Test Readiness Review involves:
 - ◆ DLA-CAN
 - ◆ Program Manager
 - ◆ Developmental Tester
 - ◆ Operational Test Site and Users
 - ◆ Operational Tester
 - ◆ Security




DOD 5000 OVERVIEW

Continued

- Operational Testing focus:
 - ◆ Determine Operational Effectiveness
 - ◆ Determine Operational Suitability
 - ◆ Realistic conditions (e.g. wartime, stress loads)
 - ◆ Training and Logistics Capabilities
 - ◆ Reliability, Availability, and Maintainability
 - ◆ Mission Impact Analysis for unmet metrics



DLA Operational Test Relationships





Mil-Std 498 Overview

■ Mil. Std 498


- ◆ Unit Test
- ◆ Unit Integration Testing
- ◆ CSCI Qualification Testing
- ◆ CSCI / HWCI Integration testing
- ◆ System Qualification Testing

■ DLA

- ◆ Unit / Programmer Test
- ◆ Link / Interface Test
- ◆ System Test (ST)
- ◆ Functional Test (FT)
- ◆ Environmental Test (ET)
- ◆ Initial Operational Capability (IOC) Test



DLA Vs MIL-STD-498 Test Terminology





MIL-STD 498 OVERVIEW

■ Unit Testing

- ◆ Developer runs test
- ◆ Test by software unit
- ◆ Test programs and database
- ◆ Formal test report not normally required



MIL-STD 498 OVERVIEW

Continued

- Unit Integration Testing (DLA- System Test)
 - ◆ Developer runs test
 - ◆ Test with two or more software units
 - ◆ Test programs and database
 - ◆ Internal “dry run” CSCI Qualification testing
 - ◆ Results recorded in Software Development File



MIL-STD 498 OVERVIEW

Continued

- CSCI Qualification Testing (DLA- Functional Test)
 - ◆ Developer runs test (but not the CSCI designer)
 - ◆ Customer (Acquirer) observed or witnessed
 - ◆ Test with CSCI (satisfies an end use function)
 - ◆ Test programs and database
 - ◆ Test on target computer or approved configuration
 - ◆ Results recorded in a Software Test Report



MIL-STD 498 OVERVIEW

Continued

- CSCI/HWCI Integration Testing (DLA-Environmental Test)
 - ◆ Developer participates in test
 - ◆ Test with two or more CSCI/HWCIs
 - ◆ Test programs and database
 - ◆ Internal “dry run” System Qualification testing
 - ◆ Results recorded in a Software Test Report




MIL-STD 498 OVERVIEW

Continued

- System Qualification Testing (DLA- IOC)
 - ◆ Developer does not run test (but participates)
 - ◆ Customer (Acquirer) observed or witnessed
 - ◆ Test with full system (Production Environment)
 - ◆ Test on production system or approved configuration
 - ◆ This may be the Acceptance Test if project is NOT MAISRC/DAISRC



TAILOR 498






Current Methods and Terms

- SCR / AWR
- CHANGE SPECIFICATION
- CODE AND UNIT TEST
- SYSTEM TEST
- FUNCTIONAL TEST
- ENVIRONMENTAL TEST
- DEPLOY






Current DLA Software Maintenance Process





CSCI QUALIFICATION/ FUNCTIONAL TEST (Q/FT) READINESS CHECKLIST





Q/FT Readiness Review

- Are significant open issues unresolved?
- System Test Certified Complete?
- Software Test Plan and Software Test Description complete and current?
- Configuration Management controls in place?



Q/FT Readiness Review

Continued

- Users/Testers Trained and Ready?
- Test Environment and System Configuration Ready?
- Known differences between Q/FT and Production environments documented along with potential impacts?



Q/FT Readiness Review

Continued

- Known limitations documented such as: limited data sample or simulated interfaces?
- Potential impact from other testing, development, and maintenance activities considered and coordinated?
- Security Procedures in Place and ready for use?



TESTABLE REQUIREMENT

- A requirement or set of requirements is considered to be testable if an objective and feasible test can be designed to determine whether each requirement has been met. (Mil-Std 498)
- Start with Testable Requirements



RECOMMENDATIONS

- Start Test Planning Early
- Optimize Testing to Reduce Risk
- Testing Traceable to Requirements
- Tailorable if provides adequate information
- Testing should be part of Integrated Product Team (IPT)